


## Precision Synthesis of Various Low-Bandgap Donor-Acceptor Alternating Conjugated Polymers via Living Suzuki-Miyaura Catalyst-Transfer Polymerization

H. Kim<sup>1</sup>

<sup>1</sup>ETH Zurich, Department of Materials, Vladimir-Prelog-Weg 1-5/10, 8093 Zurich

In this study, we present the living Suzuki-Miyaura catalyst-transfer polymerization (SCTP) using a RuPhos Pd G3 precatalyst as a versatile approach for the precision synthesis of several types of donor-acceptor alternating conjugated polymers (DA ACPs). Initially, we optimized the living SCTP process for biaryl monomers with varying electronic characters of both strong and medium electron-donating (D) and electron-accepting (A) groups. This optimization allowed us to obtain DA ACPs with controlled number-average molecular weight ( $M_n$ ), narrow dispersity ( $\mathcal{D}$ , 1.05-1.29), and high yields (>87%). Furthermore, we successfully expanded this method to the controlled polymerization ( $M_n = 9.2 - 40.0 \text{ kg mol}^{-1}$ ) of a quateraryl monomer ( $A_1-D-A_2-D$ ) containing diketopyrrolopyrrole (DPP; a strong acceptor). Additionally, the living SCTP technique facilitated the efficient one-step synthesis of various diblock and triblock copolymers. Lastly, the resulting DA ACPs exhibited adjustable optical band gaps ( $E_g^{\text{opt}}$ ) ranging from 1.29 to 1.77 eV and varied highest occupied molecular orbital (HOMO) levels (from -5.57 to -4.75 eV), while their block copolymers displayed wide absorption spectra and demonstrated promising light-harvesting properties in the visible range.



- [1] Alexander D. Todd, Christopher W. Bielawski, *ACS Macro Lett.* **2015**, *4*, 1254-1258.
- [2] Einat Elmalem, Anton Kiriya, Wilhelm T. S. Huck, *Macromolecules* **2011**, *44*, 9057-9061.
- [3] Sanne Govaerts, Pieter Verstappen, Huguette Penxten, Maxime Defour, Bruno Van Mele, Laurence Lutsen, Dirk Vanderzande, Wouter Maes, *Macromolecules* **2016**, *49*, 6411-6419.
- [4] Yu Tokita, Masaru Katoh, Yoshihiro Ohta, Tsutomu Yokozawa, *Chem. - A Eur. J.* **2016**, *22*, 17436-17444.
- [5] Volodymyr Senkovskyy, Roman Tkachov, Hartmut Komber, Michael Sommer, Maria Heuken, Brigitte Voit, Wilhelm T. S. Huck, Vladislav Kataev, Andreas Petr, Anton Kiriya, *J. Am. Chem. Soc.* **2011**, *133*, 19966-19970.
- [6] Wei Liu, Roman Tkachov, Hartmut Komber, Volodymyr Senkovskyy, Marcel Schubert, Zhanhua Wei, Antonio Facchetti, Dieter Neher, Anton Kiriya, *Polym. Chem.* **2014**, *5*, 3404-3411.
- [7] Roman Tkachov, Hartmut Komber, Sebastian Rauch, Albena Lederer, Ulrich Oertel, Liane Haußler, Brigitte Voit, Anton Kiriya, *Macromolecules* **2014**, *47*, 4994-5001.
- [8] Kyeong-Bae Seo, In-Hwan Lee, Jaeho Lee, Inho Choi, Tae-Lim Choi, *J. Am. Chem. Soc.* **2018**, *140*, 4335-4343.
- [9] Jaeho Lee, Hyunwoo Park, Soon-Hyeok Hwang, In-Hwan Lee, Tae-Lim Choi, *Macromolecules* **2020**, *53*, 3306-3314.
- [10] Jaeho Lee, Hwangseok Kim, Hyunwoo Park, Taehyun Kim, Soon-Hyeok Hwang, Daye Seo, Taek Dong Chung, Tae-Lim Choi, *J. Am. Chem. Soc.* **2021**, *143*, 11180-11190.