


**New neo-clerodane diterpenes from *Teucrium polium* subsp. *capitatum***

M. Keller<sup>1</sup>, S. Chabane<sup>2</sup>, O. Danton<sup>1</sup>, A. Prescimone<sup>3</sup>, A. Boudjelal<sup>4</sup>, M. Hamburger<sup>1</sup>, O. Potterat<sup>1\*</sup>

<sup>1</sup>Division of Pharmaceutical Biology, University of Basel, Klingelbergstrasse 50, CH-4056 Basel, Switzerland, <sup>2</sup>Department of Life and Nature Science, Faculty of Sciences, Mohamed Boudiaf University, 28000 M'Sila, Algeria, <sup>3</sup>Department of Chemistry, University of Basel, Mattenstrasse 22, CH-4058 Basel, Switzerland, <sup>4</sup>Department of Microbiology and Biochemistry, Faculty of Sciences, Mohamed Boudiaf University, 28000 M'Sila, Algeria

*Teucrium polium* subsp. *capitatum* (syn. *Teucrium capitatum*, Lamiaceae), popularly known as golden or felty germander, is a deciduous shrub that abundantly grows in Mediterranean regions of Europe, Northern Africa, and Southwest Asia. The aerial parts are traditionally used in Algeria as a decoction or ointment in the treatment of hypertension, diabetes, and wounds. In a previous study we reported the wound healing properties of a methanolic extract in a wound excision model in rabbits, and a comprehensive polyphenolic profile of this extract [1]. Further investigation of the methanolic extract focusing on the non-phenolic constituents afforded six furanoid neo-clerodane diterpenes, including 20-acetylauropolin and 6-acetylteucjaponin A, along with four previously undescribed congeners. The compounds were isolated by preparative HPLC-ESIMS after silica gel column chromatography. Their structures were established by extensive NMR analysis, HRESIMS, and by comparison with literature data of related compounds. The absolute configuration of 20-acetylauropolin was confirmed by single crystal X-ray crystallographic analysis. Some of the isolated diterpenes possess structural features uncommon in neo-clerodane diterpenes, such as a rare C-20 acetal function forming an oxepane ring to C-7 of the *trans*-decalin core structure such as in teupocapin C (**1**).



[1] Sarra Chabane, Amel Boudjelal, Morris Keller, Sara Doubakh, Olivier Potterat, *Teucrium polium* - wound healing potential, toxicity and polyphenolic profile, *South African Journal of Botany*, **2021**, 137, 228-235.